



DUAL HOPPER

FT2200



HORIZON

DUAL HOPPER

FT2200

The Horizon FT2200 dual hopper is designed to seamlessly deliver granular product to either the PPX planter or the SPX Strip-till cultivator.

The FT2200 utilises a pressurised hopper, powerful fan (turbine), 2 metering systems and high capacity piping so it can handle large volumes of product. The metering systems utilise the same technology as the Horizon DSX so the operator can enjoy very accurate seeding, market leading functionality and the ability to quickly change from metering either one product or two different products. or fertiliser implements.



DUAL HOPPER

FT2200

TOUCH BUTTON CALIBRATION

CLOSING SLIDE ABOVE THE
METERING FOR EASY EMPTYING

SOFT CLOSING LID

A SELECTION OF METERING
ROTORS FOR DIFFERENT
PRODUCTS AND
APPLICATION RATES60/40 SPLIT HOPPER WITH 2 METERING
SYSTEMS (1 EACH SIDE)

OPTIONAL WEIGHTS PACKAGE

PRESSURIZED HOPPER

ROAD AND WORKING
LIGHTS PACKAGE2 PRODUCT LEVEL SENSORS IN
EACH SIDE

LARGE TOOLBOX

FOLDABLE STEPS



The FT2200 can be controlled through a variety of methods depending on your situation. All the control methods below offer full functionality such as tramlining, low level alarms, fan speed and information totals (area, weight used and job duration etc).

- RDS ISOCAN Monitor, • The tractor ISOBUS, • Precision Planting 20/20 Monitor (if used in conjunction with a Horizon PPX Planter).

HORIZON

HORIZON AGRICULTURAL MACHINERY LTD

t: +44 (0) 1945 440 999 | **e:** info@horizonagriculture.com | **w:** horizonagriculture.com

Registered in England | Company Number: 5930757 | VAT Number: GB 894781854
Cliftons Bridge, Fishergate, Sutton St James, PE12 0EZ